

9. REFERENCIAS BIBLIOGRAFICAS

- Abad, G. & J.M. Abad, 1995. Historical evidence on the occurrence of late blight of potato, tomato and pearl melon in the Andes of South American. En: *Phytophthora infestans* 150, L.J. Dowley, E. Bañón, L.R. Cooke, J. Keane & E.O. Sullivan, Eds. Boole Press Ltd., Ireland. pp. 46-49.
- Abbasi, P.A., Al-Dahmani, J., Sahin, F., Hoitink, H.A.J., Miller, S.A., 2002. Effect of compost amendments on disease severity and yield of tomato in conventional and organic production systems. *Plant Disease*, 86: 156-161.
- Agonsior, G., H. Buschmann, G. Szinicz, O. Spring & J. Sauerborn, 2004. Induced resistance an innovative approach to manage branched broomrape (*Orobanche ramosa*) in hemp and tobacco. *Weed-Science*, 52: 1050-1053.
- Andreu, A.B, 1994. Aspectos bioquímicos–moleculares de la interacción papa-*Phytophthora infestans*. Tesis doctoral. Universidad Nacional de Mar del Plata.
- Andreu, A.B. & D.O. Caldiz, 2004a. Variation in aggressiveness of *P. infestans* and resistance level in McCain cultivars. Cutting EDGE. The McCain Agronomy Research Newsletter, July 1, 2004.
- Andreu, A.B. & D.O. Caldiz, 2002. Manejo integrado del cultivo: El control del Tizón Tardío. *Del Campo a la Fábrica*. 2 (4): 2-7.
- Andreu, A.B. & D.O. Caldiz, 2004. Chemical control strategies for Late blight management in Argentina. *Phytopathology*, 94:S4.
- Andreu, A.B. & D.O. Caldiz, 2006a. Variation in aggressiveness of *P. infestans* and resistance level in McCain cultivars. Cutting EDGE. The McCain Agronomy Research Newsletter, July 1, 2004.
- Andreu, A.B. & D.O. Caldiz. 2006b. Foliar fungicides seed piece treatments as protective foliage in early stage for managements of late blight of potatoes. *Crop Protection*, 25: 281-286.
- Andreu, A.B. & G.R. Daleo, 2005. Resistencia inducida en plantas. Conferencia. XIII Congreso Latinoamericano de Fitopatología. II Taller de la Asociación de Fitopatólogos. Pág. 171-175. Córdoba. Argentina.
- Andreu, A.B., C. Oliva, M. Huarte & G. Daleo, 2001. Production of phytoalexins, glycoalcaloids and phenolics in leaves and tubers of potato cultivars with different degrees of field resistance after infection with *Phytophthora infestans*. *Potato Research*, 44: 1-9.
- Andreu, A.B., C. Tonón, M. VanDamme, M. Huarte & G.R. Daleo. 1998. Effect of glucans from different races of *Phytophthora infestans* on defense reactions in potato tuber. *European Journal Plant Pathology*, 104: 777-783.
- Andreu, A.B., G. Guevara, E. Wolski, G.R. Daleo & D.O. Caldiz, 2006. Enhancement of the natural disease resistance of potatoes by chemicals. *Pest Management Science*, 62: 162-170.
- Andreu, A.B., M.G. Guevara, E. Wolski, G.R. Daleo & D.O. Caldiz, 2004. Induced Systemic Resistance (ISR): Its impact on defense mechanism as components of integrated disease control strategies. *GILB Newletters*, May, 2004-No.22, pág 2-4.
- Andreu, A.B., V. Godoy, C. Casalongué & G. Daleo, 1993. Aspectos Bioquímicos de la Fusariosis en papa. XIX SAIB. Huerta-Grande, Córdoba, Argentina.

- Andreu. A.B., 2004. TIZON TARDIO. 100 pp. UNMDP, BASF Argentina y McCain Argentina.
- Andreu. A.B., C. Oliva & G.R. Daleo, 1994. Fitoalexinas y PRPs en la interacción- *Phytophthora infestans*". Taller del Curso de Ingeniería Genética en Plantas. Centro de Biotecnología e Ingeniería Genética. La Habana, Cuba.
- Borges, A., A. Borges Perez & M. Fernandez Falcon, 2004. Induced resistance to *Fusarium* wilt of banana by menadione sodium bisulphate treatments. *Crop Protection*, 23: 1245-1247.
- Bruin, G.C. & L.V. Edgington, 1983. The chemical control of plant diseases caused by zoosporic fungi. *Zoosporic Plant Pathogens, a Modern Perspectives*, S. T. Buczaki. Ed, pp.193-232. Academic Press. London.
- Buchanam, B.B., W. Gruissem & R.L. Jones, 2000. *Biochemistry & Molecular Biology of Plants*. American Society of Plant Physiologist. Rockville, Maryland. Part 5: Plant Environmental and Agriculture, Pp. 1500
- Bugaret, Y., Bulit, J. & R. Lafon, 1980. Amelioration du traitement de l'œxcoriose de la vigne (*Plasmopsis viticola* Sacc.) utilisation en post debourrement de la vigne de l'association de phoséthyl-Al et folpet. *Phytriatrie.Phytopharmacie*, 29 :45-56.
- Caldiz, D.O., 2007. Producción, cosecha y almacenamiento de papa en la Argentina. McCain Argentina SA – BASF Argentina SA, Balcarce, Argentina. Pp. 150.
- Caldiz, D.O., D.Rolon, J. Di Rico & A.B. Andreu, 2007. Dimethomorph and Mancozeb pre-mixed fungicide activities in early management of late blight (*Phytophthora infestans*) by applications in seed tuber treatment. *Potato Research*. En prensa.
- Cipollini, D.F., Purrington, C.B., & J. Bergelson, 2003. Costs of induced responses in plants. *Basic Applied Ecology*, 4: 79-89.
- Cole, D.L, 1999. The efficacy of acibenzolar-S-methyl, an inducer of systemic acquired resistance, against bacterial and fungal diseases of tobacco. *Crop Protection*, 18:267-273.
- Constantino, S., 2007. La producción de papa en la Argentina y el desafío de subsistir. *Actualidad Pápera* N°18 . Consulta on line <http://www.inta.gov.ar/balcarce/propapa/actpap/>. Marzo 2007.
- Cooke, L.R. & G. Little, 2001. The effect of foliar application of phosphonate formulations on the susceptibility of potato tubers to late blight. *Pest Management Science*, 58: 17-25.
- Cutter EG. 1978. Structure and development of the potato plant. In: PM Harris, ed. *The potato crop: the scientific basis for improvement*.
- Da Rocha, A., L. Hammerschmidt & T. Ray, 2005. History and perspectives on the use of disease resistance inducers in horticultural crops. *HortTechnology*, 15: 518-529.
- D'Ambrogio de Argüeso, Ana. *Manual de técnicas en histología vegetal*. Buenos Aires.Hemisferio Sur, 1986 . 83 pp.
- Echeverría, H.E., 2005. Capítulo 17: Papa. En: *Fertilidad de suelos y fertilización de cultivos*, H.E. Echeverría & F.O. García, Eds. Ediciones INTA, Balcarce. pp. 365-378.
- Esau, Katherine. 1976 *Anatomía vegetal*. Ediciones Omega S.A.
- Eukerli, J., Gisi U. & E. Mösinger, 1993. Systemic acquired resistance to *Phytophthora infestans* in tomato and the role of pathogenesis related proteins. *Physiological and Molecular Plant Pathology* 43: 161-171.

- Feldman, M., C. Oliva, C. Casalongué & G.R. Daleo, 2000. Induction of a proteinase K inhibitor in a potato cultivar with a high degree of field resistance against *Phytophthora infestans* *Physiologia Plantarum*, 109: 14-30.
- Feldman, M., Oliva, C., Holzer R., Daleo, G. & L. Walling, 2002. PLPKI: A novel serine proteinase inhibitor with activity against proteinases from *Phytophthora infestans* and *Rhizoctonia solani*. *European Journal of Plant Pathology*, 109:141-145
- Fernández-Northcote E. N., O. Navia & A. Gandarillas, 1999. Bases de las Estrategias de Control Químico del Tizón tardío de la papa Desarrolladas por PROINPA en Bolivia. *Revista Latinoamericana de la Papa*, 11: 1-25.
- Fodor, J., Gullner, G., Adam, A., Komives, T. & Z. Kiraly, 1997 .Local and systemic responses of antioxidants to tobacco mosaic virus infection and to salicylic acid in tobacco. *Plant Physiology*, 114: 1143-1451.
- Gozzo, F., 2003. Systemic acquired resistance in crop protection: from nature to a chemical approach. *Journal of Agricultural Food Chemistry*, 51: 4487-4503.
- Guest, D. & B. Grant, 1991. The Complex action of phosphonates as antifungal agents. *Biological Review*, 66: 159-187.
- Guevara, G., C. Oliva, M. Huarte & G.R. Daleo, 2002 An aspartic protease with antimicrobial activity is induced after infection and wounding in intercellular fluids of potato tubers. *European Journal of Plant Pathology*, 108: 131-137.
- Guevara, G., C. Oliva, M. Machinandiarena & G.R. Daleo, 1999. Purification and properties of an aspartic proteinase from potato tuber which is inhibited by a basic chitinase. *Physiologia Plantarum*, 106: 164-169.
- Guevara, G., G.R. Daleo & C. Oliva, 2001. Purification and characterization of an aspartic protease from potato leaves. *Physiologia Plantarum*, 112: 321-326.
- Guevara, G., P. Veríssimo, E. Pires, C. Faro & G.R. Daleo, 2004. Potato aspartic proteases: induction, antimicrobial activity and substrate specificity. *Journal of Plant Pathology*, 86: 233-238.
- Heil, M., 1999. Systemic acquired resistance: available information and open ecological questions. *Journal of Ecology*, 87: 341-346.
- Huarte, M., 2002. Niveles Disponibles de Resistencia al Tizón Tardío en Latinoamérica. In: Centro Internacional de la Papa, 2002. E.N. Fernandez-Northcote (ed). *Memorias del Taller Internacional Complementando la Resistencia al Tizón (Phytophthora infestans) en los Andes, 2002*, Cochabamba, Bolivia, GILB, Taller Latinoamérica 1, Lima, Perú. pp 59-66.
- Jeun, Y.C., J. Siegrist, & H. Buchenahuer, 2000. Biochemical and cytological studies of mechanisms of systemically induced resistance to *Phytophthora infestans* in tomato plants. *Journal Phytopathology*, 148: 129-140.
- Johnson, D.A., Inglis, D.A. & J.S. Miller, 2004. Control of potato tuber rots caused by oomycetes with foliar applications of phosphorous acid. *Plant Disease*, 88: 1153-1159.
- Kogel, K.H., U. Beckhoe, J. Dreschers, S. Munch & Y. Romme, 1994. Acquired resistance in barley. The resistance mechanisms induced by 2,6-dichloroisonicotinic acid is a phenocopy of a genetically

- based mechanism governing race-specific powdery mildew resistance. *Plant Physiology*, 106: 1269-1277.
- Kombrink, E. & E. Schmeizer, 2001. The hypersensitive response and its role in local and systemic disease resistance. *European Journal Plant Pathology*, 107: 79-78.
- Kuc, J., 1987. Plant immunization and its applicability for disease control. In: Chet I (ed) *Innovative approaches to plant disease control*. John Wiley, New York, pp. 255-274.
- Lobato, M.C., F.P. Olivieri, G.R. Daleo, & A.B. Andreu. Increase of the resistance to late blight by biocompatible compounds. *XLI SAIB. BIOCELL*, 28 (Suppl. I). Pág. 45. 2005. Pinamar. Argentina.
- Lulai E.C. & T.P. Freeman, 2001 The Importance of Phellogen Cells and their Structural Characteristics in Susceptibility and Resistance to Excoriation in Immature and Mature Potato Tuber (*Solanum tuberosum* L.) Periderm. *Annals of Botany* 88: 555-561,
- Machinandiarena, M., E. Wolski, V. Barrera, G.R. Daleo & A.B. Andreu, 2005. Characterization and in vitro expression patterns of extracellular degradative enzymes from non-pathogenic binucleate *Rhizoctonia* AG-G. *Mycopathologia*, 159: 441-444.
- Machinandiarena, M., F.P. Olivieri, G.R. Daleo & C. Oliva, 2001. Isolation and characterization of a polygalacturonase-inhibiting protein from potato leaves. Accumulation in response to salicylic acid, wounding and infection. *Plant Physiology and Biochemistry*, 39: 129-136.
- Machinandiarena, M., M. Castillo, F.P. Olivieri, G.R. Daleo & C. Oliva, 2001. Protease inhibitor activity is associated to a basic chitinase from potato but not to an acidic one. *Potato Research*, 44: 187-195.
- Mantecón, J., 2006. Pérdidas potenciales debidas al Tizón tardío de la papa (*Phytophthora infestans*) durante la última década. Consulta on-line en: www.argenpapa.com.ar / Información Técnica. Julio, 2006.
- Mauch-Mani, B. & J.P. Métraux, 1998. Salicylic acid and Systemic Acquired resistance to pathogen attack. *Annals of Botany*, 82: 535-540.
- Mc Donald, A.E., Grant B.R. & W.C. Plaxton, 2001. Phosphites (phosphoric acid): its relevance in the environment and agriculture and influence on plant phosphate starvation response. *Journal of Plant Nutrition*, 24: 1505-1519.
- Mengdehl, H., 1933. Studies zum phodphrostoffwechsel in der höheren pflanze. I. Die bestimmung van pyround metaphosphat. Sowie van phosphhit und hypophosphhit in pflanzenmaterial. *Planta*, 19: 316-320
- Olivieri, F., Godoy, A., Escande A. & C. Casalongue. 1998. Analysis of intercellular washing fluid of potato tuber and detection of increased proteolytic activity upon inoculation with *Fusarium eumartii* C. *Physiologia Plantarum*, 104: 232-238.
- Olivieri, F., M.C. Lobato, E. González Altamiranda, E. Wolski, G. Guevara, G.R. Daleo & A.B. Andreu, 2005. Enhancement of potato defense mechanisms by BABA in multigenic resistance potato cultivars. Systemic response against *Phytophthora* and *Fusarium*. *Late Blight News: BLIGHT BYTE* Nro 5-6, 1 july. <http://gilb.cip.cgiar.org>.
- Olivieri, F., S. Maldonado, C. Tonón & C. Casalongué, 2004. Hydrolytic activities of *Fusarium solani* and *Fusarium solani* f. sp. *eumartii* associated with the infection process of potato tubers. *Journal of Phytopathology*, 152: 337-344.

- Olivieri, F.P., E. Altamiranda, M.C. Lobato, G.R. Daleo & A.B. Andreu, 2005. Defense mechanisms induced by BABA in multigenic resistance potato cultivars. Systemic response against *Phytophthora* and *Fusarium*. *BIOCELL*, 29: 192.
- Olivieri, F.P., M.C. Lobato, E. González Altamiranda, M. Huarte, G. Daleo, & A.B. Andreu, 2007. BABA effects on the behaviour of potato cultivars infected by *Phytophthora infestans* and *Fusarium solani*. *Postharvest Biology and Technology*, 44:160-166.
- Perez, L., Rodríguez, M.E., Rodríguez, R., Roson, C., 2003. Efficacy of acibenzolar-S-methyl, an inducer of systemic acquired resistance against tobacco blue mould caused by *Peronospora hyoscyami* f. sp. *tabacina*. *Crop Protection*, 22: 405-413.
- Reuveni, R. & M. Reuveni, 1998. Foliar-fertilizer therapy — a concept in integrated pest management. *Crop protection*, 17: 111-118.
- Schroetter, S., Angeles-Wedler, D. Kreuzig, R. & E. Schnug, 2006. Effects of phosphite on phosphorous supply and growth of corn (*Zea mays*). *Landbauforschung Volkenrode*, 56: 87-99.
- Secretaría de Agricultura, Ganadería, Pesca y Alimentación, 2007. Estimaciones Agrícolas. Consulta on-line en: www.sagpya.mecon.gov.ar. Marzo de 2007.
- Sheng, Ye K., N. Strobel & J. Kuc, 1995. Induced Systemic Resistance (ISR): Activation of Natural Defense Mechanisms for Plant Disease Control as Part of Integrated Pest Management (IPM) Novel Approches to Integrated Pest Management, Cap. 5, pág 95-113.
- Shirasu, K., H. Nakajima, V. K. Rajasekhar, R. Dixon & C. Lamb, 1997. Salicylic acid potentials an agonist dependent gain control that amplifies pathogen signals in the activation of defense mechanisms. *Plant Cell*, 9: 261-270.
- Sticher, L., Mauch-Mani, B. & J. Métraux, 1997. Systemic acquired resistance. *Annual Review Phytopathology*, 35: 235-270.
- Tonón, C., A.B. Andreu, M.E. Aued, M. VanDamme, M. Huarte & G.R. Daleo, 1998 Defense reactions in two potato cultivars after infection with two races of *Phytophthora infestans*. *Potato Research*, 41: 319-325.
- Tonón, C., Daleo G.R. & C. Oliva, 2001. An acidic β -1,3-glucanase from potato tubers appears to be patatin. *Plant Physiology and Biochemistry*, 39:849-854.
- Tonón, C., G. Guevara, C. Oliva & G.R. Daleo, 2002. Isolation of a potato acidic 39 kDa β -1,3-glucanase with antifungal activity against *P. infestans* and analysis of its expression in potato cultivars differing in their degree of field resistance. *Journal of Phytopathology*, 150: 189-195.
- Vallad, G. & M. Goodman, 2004. Systemic Acquired Resistance and Induced Systemic Resistance in Conventional Agriculture. *Crop Science*, 44: 1920-1933.
- Van Hulten, M., Pelsler, M., Van Loon, L.C., Pieterse, C.M. & J. Ton, 2006. Costs and benefits of priming for defense in *Arabidopsis*. *Proc. Natl. Acad. Sci. USA.*, 103: 5602-5607.
- Van Loon, L.C., 1997. Induced rsistance in plants and the role of pathogeneesis-related proteins. *European Journal of Plant Pathology*, 1003: 753-765.
- Wolski, E, C. Lima, S. Agusti, G.R. Daleo, A.B. Andreu & R. Lederkremer, 2005. An α -glucan elicitors from cell wall of binucleate non-pathogenic *Rhizoctonia* sp. isolate. *Carbohydrates Research*, 340: 619-627.

- Wolski, E., G.R. Daleo & A.B. Andreu, 2004. Induction of Pathogenesis-related proteins on potato sprouts by an alpha-(1,3)-glucan from cell wall of binucleate non-pathogenic *Rhizoctonia* sp. isolate. *APS. Phytopathology*, 94:S4, pag 111.
- Wolski, E., S. Maldonado, G.R. Daleo & A.B. Andreu, 2007. A novel alpha-1, 3-glucan elicits plant defense responses in potato and induces protection against *Rhizoctonia solani* AG-3 and *Fusarium solani* f. sp. *eumartii*. *Physiological and Molecular Plant Pathology*, 40:123-128
- Wolski, E., S. Maldonado, G.R. Daleo & A.B. Andreu, 2007. Immunocytolocalization of a cell wall alpha-1, 3-glucan in a biocontrol isolate of *Rhizoctonia*. *Mycological Research*, 111:145-150